● PRINTER RUSH ●—
(PTO ASSISTANCE)

Application : 10/632680	Examiner : Page	GAU : 1615
From: LA	Location: (IDC) FMF FDC	Date: 7-18-05

Tracking #: 06118356   Week Date: 6-20-05

DOC CODE	DOC DATE	MISCELLANEOUS
☐ 1449	_____	☐ Continuing Data
☐ IDS	_____	☐ Foreign Priority
☐ CLM	_____	☐ Document Legibility
☐ IIFW	_____	☐ Fees
☐ SRFW	_____	☒ Other Examiner's.
☐ DRW	_____	Amendment
☐ OATH	_____	NoA – 4-19-05
☐ 312	_____	
☐ SPEC	_____	

[RUSH] MESSAGE: In Examiner's Amendment dated 4/19/05, the instructions for part #6 doesn't match current text in Specification. Please resolve. Thank you (LA)

[XRUSH] RESPONSE: The examiner's amendment is directed to the claims, not the specification. I am not sure how the text in the specification has a influence on the instant claims. The examiner's amendment was reviewed and the examiner can not figure out the problem. Please clarify or call me at (571) 272-3104

INITIALS: PU

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04